

**PURELL® SKILCRAFT® Advanced Hand Sanitizer Skin Nourishing Gel**

Version 1.0

SDS Number: 400000005922

Revision Date: 09/15/2020

**SECTION 1. IDENTIFICATION**

Product name : PURELL® SKILCRAFT® Advanced Hand Sanitizer Skin Nourishing Gel  
Product code : 3143-0132 (8520-00-NIB-0118)

**Manufacturer or supplier's details**

Company name of supplier : AUSTIN LIGHTHOUSE,  
TRAVIS ASSOCIATION FOR THE BLIND  
Address : 2307 Business Center Drive  
Austin, Texas 78744  
Telephone : 1-888-217-7232  
Emergency telephone number : 1-888-714-3496

**Recommended use of the chemical and restrictions on use**

Recommended use : Hand Sanitizer  
Restrictions on use : This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids : Category 3  
Eye irritation : Category 2A

**GHS label elements**

Hazard pictograms :



Signal word : Warning  
Hazard statements : H226 Flammable liquid and vapour.  
H319 Causes serious eye irritation.  
Precautionary statements : **Prevention:**

# PURELL® SKILCRAFT® Advanced Hand Sanitizer Skin Nourishing Gel

Version 1.0

SDS Number: 400000005922

Revision Date: 09/15/2020

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P280 Wear eye protection/ face protection.

**Response:**

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Hazardous components**

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 60 - < 70
Isopropyl Alcohol	67-63-0	>= 1 - < 5
Glycerin	56-81-5	>= 1 - < 5

## SECTION 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Get medical attention if irritation develops and persists.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.
If swallowed	: If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.
Protection of first-aiders	: First Aid responders should pay attention to self-protection

## PURELL® SKILCRAFT® Advanced Hand Sanitizer Skin Nourishing Gel

Version 1.0

SDS Number: 400000005922

Revision Date: 09/15/2020

and use the recommended protective clothing

### SECTION 5. FIREFIGHTING MEASURES

- |   |   |  |
|---|---|--|
| Suitable extinguishing media                  | : | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.   |
| Unsuitable extinguishing media                | : | High volume water jet  |
| Specific hazards during firefighting          | : | Do not use a solid water stream as it may scatter and spread fire.<br>Cool closed containers exposed to fire with water spray.<br>Flash back possible over considerable distance.<br>May form explosive mixtures in air.<br>Exposure to decomposition products may be a hazard to health.<br>Carbon oxides |
| Hazardous combustion products                 | : | Carbon oxides  |
| Specific extinguishing methods                | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.  |
| Further information                           | : | Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  |
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.   |

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |   |   |   |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.<br>Ensure adequate ventilation.<br>Remove all sources of ignition.<br>Evacuate personnel to safe areas.<br>Keep people away from and upwind of spill/leak.<br>Material can create slippery conditions.   |
| Environmental precautions   | : | Discharge into the environment must be avoided.<br>Prevent further leakage or spillage if safe to do so.<br>Retain and dispose of contaminated wash water.<br>Local authorities should be advised if significant spillages cannot be contained.   |
| Methods and materials for containment and cleaning up               | : | Non-sparking tools should be used.<br>Soak up with inert absorbent material.<br>Suppress (knock down) gases/vapours/mists with a water spray jet.<br>Keep in suitable, closed containers for disposal.<br>Clean contaminated floors and objects thoroughly while observing environmental regulations. |

### SECTION 7. HANDLING AND STORAGE

# PURELL® SKILCRAFT® Advanced Hand Sanitizer Skin Nourishing Gel

Version 1.0

SDS Number: 400000005922

Revision Date: 09/15/2020

- Advice on safe handling : For personal protection see section 8.  
Keep away from heat.  
Avoid contact with eyes.
- Conditions for safe storage : Take measures to prevent the build up of electrostatic charge.  
Keep in properly labelled containers.  
Keep container tightly closed in a dry and well-ventilated place.  
Store in accordance with the particular national regulations.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m <sup>3</sup>	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m <sup>3</sup>	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m <sup>3</sup>	NIOSH REL
		ST	500 ppm 1,225 mg/m <sup>3</sup>	NIOSH REL
		TWA	400 ppm 980 mg/m <sup>3</sup>	OSHA Z-1
		Glycerin	56-81-5	TWA (mist, respirable fraction)
		TWA (mist, total dust)	15 mg/m <sup>3</sup>	OSHA Z-1

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at end of workweek	40 mg/l	ACGIH BEI

### Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
- Hand protection
- Remarks : No special protective equipment required.
- Eye protection : Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : No special protective equipment required.
- Protective measures : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to

## PURELL® SKILCRAFT® Advanced Hand Sanitizer Skin Nourishing Gel

Version 1.0

SDS Number: 400000005922

Revision Date: 09/15/2020

Hygiene measures : the specific work-place.  
 Ensure that eye flushing systems and safety showers are located close to the working place.  
 : Handle in accordance with good industrial hygiene and safety practice.  
 Avoid contact with eyes.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : gel  
 Colour : clear, colourless, yellow  
 Odour : alcohol-like  
 Odour Threshold : No data available

pH : 6.5 - 8.5, (20 °C)

Melting point/freezing point : No data available  
 Boiling point/boiling range : No data available  
 Flash point : 25.00 °C  
 Method: Pensky-Martens closed cup

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 0.8750 g/cm<sup>3</sup>

Solubility(ies)  
 Water solubility : soluble

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : not determined

Thermal decomposition : The substance or mixture is not classified self-reactive.

Viscosity  
 Viscosity, kinematic : 3500 - 23000 mm<sup>2</sup>/s (20 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

### SECTION 10. STABILITY AND REACTIVITY

**PURELL® SKILCRAFT® Advanced Hand Sanitizer Skin Nourishing Gel**

Version 1.0

SDS Number: 400000005922

Revision Date: 09/15/2020

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Eye contact  
Skin contact

**Acute toxicity**

Not classified based on available information.

**Components:****Ethyl Alcohol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

**Isopropyl Alcohol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): 72.6 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

**Glycerin:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Ethyl Alcohol:**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: No skin irritation

**Isopropyl Alcohol:**

Species: Rabbit  
Result: No skin irritation

**Glycerin:**

Result: No skin irritation

**PURELL® SKILCRAFT® Advanced Hand Sanitizer Skin Nourishing Gel**

Version 1.0

SDS Number: 400000005922

Revision Date: 09/15/2020

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****Ethyl Alcohol:**

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Method: OECD Test Guideline 405

**Isopropyl Alcohol:**

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

**Glycerin:**

Result: No eye irritation

**Respiratory or skin sensitisation**

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

**Components:****Ethyl Alcohol:**

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin contact

Species: Mouse

Result: negative

**Isopropyl Alcohol:**

Test Type: Buehler Test

Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Ethyl Alcohol:**Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negativeGenotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Test species: Mouse  
Application Route: Ingestion  
Result: negative**Isopropyl Alcohol:**Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negativeGenotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Test species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

**PURELL® SKILCRAFT® Advanced Hand Sanitizer Skin Nourishing Gel**

Version 1.0

SDS Number: 400000005922

Revision Date: 09/15/2020

**Glycerin:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Isopropyl Alcohol:**

Species: Rat  
Application Route: inhalation (vapour)  
Exposure time: 104 weeks  
Method: OECD Test Guideline 451  
Result: negative

**Glycerin:**

Species: Rat  
Application Route: Ingestion  
Exposure time: 2 Years  
Result: negative

**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**Components:****Ethyl Alcohol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative

**Isopropyl Alcohol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development

: Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion



**PURELL® SKILCRAFT® Advanced Hand Sanitizer Skin Nourishing Gel**

Version 1.0

SDS Number: 400000005922

Revision Date: 09/15/2020

Result: negative

**Glycerin:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Result: negative

**STOT - single exposure**

Not classified based on available information.

**Components:****Isopropyl Alcohol:**

Assessment: May cause drowsiness or dizziness.

**STOT - repeated exposure**

Not classified based on available information.

**Repeated dose toxicity****Components:****Ethyl Alcohol:**

Species: Rat  
NOAEL: 2,400 mg/kg  
Application Route: Ingestion  
Exposure time: 2 y

**Isopropyl Alcohol:**

Species: Rat  
NOAEL: 5000 ppm  
Application Route: inhalation (vapour)  
Exposure time: 104 w  
Method: OECD Test Guideline 413

**Glycerin:**

Species: Rat  
NOAEL: 167 mg/m<sup>3</sup>  
LOAEL: 660 mg/m<sup>3</sup>  
Application Route: inhalation (dust/mist/fume)  
Exposure time: 13 w  
Symptoms: Local irritation

**Aspiration toxicity**

Not classified based on available information.

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:**

## PURELL® SKILCRAFT® Advanced Hand Sanitizer Skin Nourishing Gel

Version 1.0

SDS Number: 400000005922

Revision Date: 09/15/2020

**Ethyl Alcohol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 48 h

Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates : NOEC (Daphnia magna (Water flea)): 9.6 mg/l  
Exposure time: 9 d

(Chronic toxicity)  
Toxicity to bacteria : EC50 (Photobacterium phosphoreum): 32.1 mg/l  
Exposure time: 0.25 h

**Isopropyl Alcohol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l  
Exposure time: 24 h

Toxicity to bacteria : EC50 (Pseudomonas putida): > 1,050 mg/l  
Exposure time: 16 h

**Glycerin:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,955 mg/l  
Exposure time: 48 h

Toxicity to bacteria : NOEC (Pseudomonas putida): > 10,000 mg/l  
Exposure time: 16 h

**Persistence and degradability****Components:****Ethyl Alcohol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 84 %  
Exposure time: 20 d

**Isopropyl Alcohol:**

Biodegradability : Result: rapidly degradable

**Glycerin:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 94 %  
Exposure time: 1 d

**Bioaccumulative potential****Components:**

# PURELL® SKILCRAFT® Advanced Hand Sanitizer Skin Nourishing Gel

Version 1.0

SDS Number: 400000005922

Revision Date: 09/15/2020

**Ethyl Alcohol:**

Partition coefficient: n-octanol/water : log Pow: -0.35

**Isopropyl Alcohol:**

Partition coefficient: n-octanol/water : log Pow: 0.05

**Glycerin:**

Partition coefficient: n-octanol/water : log Pow: -1.76

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Product:**

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

## SECTION 13. DISPOSAL CONSIDERATIONS

**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
 Contaminated packaging : Dispose of as unused product.  
 Empty containers should be taken to an approved waste handling site for recycling or disposal.

## SECTION 14. TRANSPORT INFORMATION

**International Regulation****IATA-DGR**

UN/ID No. : UN 1987  
 Proper shipping name : Alcohols, n.o.s.  
 (Ethanol, Propan-2-ol)  
 Class : 3  
 Packing group : III  
 Packing instruction (cargo aircraft) : 366  
 Packing instruction (passenger aircraft) : 355

**IMDG-Code**

UN number : UN 1987  
 Proper shipping name : ALCOHOLS, N.O.S.  
 (Ethanol, Propan-2-ol)  
 Class : 3  
 Packing group : III  
 Labels : 3  
 EmS Code : F-E, S-D

# PURELL® SKILCRAFT® Advanced Hand Sanitizer Skin Nourishing Gel

Version 1.0

SDS Number: 400000005922

Revision Date: 09/15/2020

Marine pollutant : no

**National Regulations**

**49 CFR**

UN/ID/NA number : UN 1987

Proper shipping name : Alcohols, n.o.s.

Class : 3

Packing group : III

ERG Code : 127

Marine pollutant : no

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

**SARA 311/312 Hazards** : Fire Hazard  
Acute Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

Isopropyl Alcohol	67-63-0	3.4086 %
-------------------	---------	----------

### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

Ethyl Alcohol	64-17-5	65.2821 %
Isopropyl Alcohol	67-63-0	3.4086 %
Glycerin	56-81-5	3 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

**California Prop 65** : This product does not require a warning label under California Proposition 65.

### The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

AICS : On the inventory, or in compliance with the inventory

DSL : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

# PURELL® SKILCRAFT® Advanced Hand Sanitizer Skin Nourishing Gel

Version 1.0

SDS Number: 400000005922

Revision Date: 09/15/2020

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory


## Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA:



#### HMIS III:

<b>HEALTH</b>	<b>2</b>
<b>FLAMMABILITY</b>	<b>3</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date : 09/15/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.